

Electrical Conduit & Fittings




Medium Duty Grey Conduit

Pipe Dimensions

PVC Electrical Conduit

Manufactured and Standards Mark Certified to AS/NZS 2053.2:2001

* Medium duty conduit



Nom Dia (mm)	Pipe Class	Av Outside Dia (mm)	Wall Thickness (mm) T	Effective Length (1m) L	Average Weight (Kg)
16	MD	16.0	1.6	4	0.45
20	MD	20.0	1.8	4	0.63
25	MD	25.0	1.8	4	0.81
32	MD	32.0	2.1	4	1.22
40	MD	40.0	2.4	4	1.76
50	MD	50.0	2.8	4	2.6


Heavy Duty Orange Conduit

Pipe Dimensions

PVC Electrical Conduit

Manufactured and Standards Mark Certified to AS/NZS 2053.2:2001

* Heavy duty conduit



Nom Dia (mm)	Pipe Class	Av Outside Dia (mm)	Wall Thickness (mm) T	Effective Length (lm) L	Average Weight (Kg)
20	HD	20.0	2.3	4	0.77
25	HD	25.0	2.5	4	1.08
32	HD	32.0	2.7	4	1.53
40	HD	40.0	3.1	4	2.22
50	HD	50.0	3.4	4	3.09
63	HD	63.0	3.9	4	4.83
80	HD	89.0	4.6	4	5.46
100	HD	114.0	5.9	4	13.61
125	HD	140.0	7.2	4	19.6
150	HD	160.0	8.3	4	27